

LCD Panels For Impressive Tiled Video Walls

Transform any space into a visual spectacle

Christie[®] tiled LCD panels offer a flexible platform for a variety of video wall applications. Availaible in an ultra-narrow bezel width, our high-performance LCD products are perfect for meeting rooms, educational facilities, control rooms, retail spaces and more. And with our extensive range of content and image processing products and video wall controllers, it's easy to design a customized, integrated system that lets you make the most out of your LCD display.





LCD tiled video walls are ideal for control rooms as well as artistic and architectural displays of all sizes. With Christie[®], you get professional-grade LCD panels offering the perfect combination of performance, features, image quality, and price.

Christie Ultra Series

Get stunning high-contrast and color-rich visuals with Ultra Series. With the ultra-narrow 3.5 mm combined bezel width, you get a near-seamless display. Competitively priced and designed for long-lasting and reliable 24/7 performance, the Ultra Series is ideal for high-performance video walls.

Christie LCD video walls: key features

- > Supports 4K UHD resolution at 60 Hz
- > OPS slot for tighter integrated solutions
- > On-board power supply
- > HDMI 2.0 and HDCP 2.2 compliance
- > Can meet ADA requirements
- > 500 nits brightness makes it idea for control rooms
- > 55" display

- > Latest intelligent electronics design for advanced performance and video wall optimization
- > TAA-compliant
- > Three years parts and labor limited warranty
- > Non-RF for increased security
- > 24/7 operation
- > Ultra-narrow, 3.5mm combined bezel width



 Christie LCD displays helped bring Barneys New York window displays to life for an innovative retail shopping experience

Video Wall Toolbox

Christie's electronics platform provides advanced performance and video wall capabilities to maximize the performance and ease deployment.

Our Video Wall Toolbox is a setup and calibration tool used to ease the installation and serviceability of our tiled LCD displays.

LCD Video Wall Properties				
Choose Tiled Flat Panel: ①	Christie FHD553-XE-R - Extreme Series 👒			
Remote Power Inputs	AC Voltage:		Distance to 19.68ft) ~	Display:
Define your display:	Display By: Specify by	Tiles ~	Units: ft v	Orientation:
# of Tiles*	Columns:*	R R	ows:*	
	Mounting:*			
	Please Sel	ect	~	

Christie video wall configuration tool **>**



Service and support

LCD video walls come standard with a three-year commercial warranty. For added peace of mind and to maximize uptime, Christie provides on-site repairs during the first year of your warranty.

Image courtesy of Float4 and Materials & Methods

Designed to work together

Get the most out of your Christie LCD video wall by combining it with our powerful content management and processing technologies for a complete, integrated solution.

Christie Hedra

Get secure, real-time access to your data that you can control from virtually anywhere for seamless collaboration and sharing of critical information.

Christie Spyder

For large-scale video walls with extensive processing needs, the Christie Spyder[™] X80 is the most powerful and versatile multi-window processor available.

Christie Pandoras Box

Pandoras Box[®] comprises the award-winning family of hardware and software tools for real-time video processing.

Christie Terra

Built on standard SDVoE technology, Christie Terra[®] enables the transport, processing and control of audiovisual content, including 4K at 60 Hz video formats, over 10G Ethernet networks.



For the most current specification information, please visit <u>christiedigital.com/videowalls</u>

Copyright 2024 Christie Digital Systems USA, Inc. All rights reserved. Our centers of excellence for manufacturing in Kitchener, Ontario, Canada and in Shenzhen, China are ISO 9001:2015 Quality Management System-certified. All brand names and product names are trademarks, registered trademarks or tradenames of their respective holders. "Christie" is a trademark of Christie Digital Systems USA, Inc., registered in the United States of America and certain other countries. DLP* and the DLP logo are registered trademarks of Texas Instruments. Performance specifications are typical. Due to constant research, specifications are subject to change without notice. CD4992-LCD-Video-Walls-Brochure-Oct-24